

S.N. 09/847,198

RD-28698-2

The listing of claims will replace all prior versions, and listings, of claims in the application:

### **LISTING OF CLAIMS**

**Claim 1** (currently amended): A low-pressure mercury vapor discharge lamp comprising an end cap that is attached to a glass envelope with a sealing composition that ~~comprises~~ consists of a silver compound, a gold compound or combination thereof.

**Claim 2** (currently amended): A low-pressure mercury vapor discharge lamp comprising an end cap that is attached to a glass envelope with a sealing composition that comprises a silver compound, a gold compound or combination thereof, wherein said silver compound comprises silver carbonate, silver halide, ~~silver oxide~~, silver sulfide, silver acetate, or combinations thereof.

**Claim 3** (previously presented): A fluorescent lamp comprising an amount of silver carbonate in a range from about 0.1 milligram to about 30 milligrams.

**Claim 4** (previously presented): A fluorescent lamp comprising an amount of gold compound in a range from about 0.1 milligram to about 30 milligrams, said gold compound comprising gold carbonate, gold halide, gold oxide, gold sulfide, gold acetate, or combinations thereof.

**Claim 5** (canceled)

**Claim 6** (currently amended): The low-vapor pressure mercury vapor discharge lamp of claim 4 2, wherein said silver compound, gold compound, or combination thereof is present in a range between about 10 milligrams and about 30 milligrams per lamp.

**Claim 7** (currently amended): The low-pressure mercury vapor discharge lamp of claim 4 2, wherein elemental mercury in said lamp is substantially incapable of interacting with ferric and cupric compounds present in said lamp to produce soluble mercury in a presence of said silver compound, gold compound, or combination thereof.

S.N. 09/847,198

RD-28698-2

**Claim 8** (original): A mercury vapor discharge lamp comprising an amount of silver carbonate in a range between about 10 milligrams and about 30 milligrams per lamp to substantially prevent the interaction of elemental mercury with ferric and cupric compounds which oxidize elemental mercury to a soluble form.

**Claim 9** (currently amended): A method for preventing the formation of leachable mercury compounds in a mercury vapor discharge lamp, said method comprising providing a sealing composition between an end cap and a glass envelope of said lamp, said sealing composition comprising a silver compound, gold compound, or combination thereof; wherein said silver compound is selected from the group consisting of silver carbonate, silver halide, silver sulfide, silver acetate, and combinations thereof.

**Claim 10** (currently amended): The A method of claim 9 for preventing the formation of leachable mercury compounds in a mercury vapor discharge lamp, said method comprising providing a sealing composition between an end cap and a glass envelope of said lamp, said sealing composition consisting of a silver compound, gold compound, or combination thereof, wherein said silver compound comprises silver carbonate, silver chloride, silver oxide, silver sulfide, silver acetate, or combinations thereof.

**Claim 11** (previously presented): A method for preventing the formation of leachable mercury compounds in a mercury vapor discharge lamp, said method comprising providing, in a structure of said lamp, between about 0.1 milligram and about 30 milligrams of silver carbonate.

**Claim 12** (previously presented): A method for preventing the formation of leachable mercury compounds in a mercury vapor discharge lamp, said method comprising providing, in a structure of said lamp, between about 0.1 milligram and about 30 milligrams of a gold compound that comprises gold carbonate, gold halide, gold oxide, gold sulfide, gold acetate, or combinations thereof.

**Claim 13** (canceled)

S.N. 09/847,198

RD-28698-2

**Claim 14** (previously present d): The method of claim 9, wherein said silver compound, gold compound, or combination thereof is present in a range from about 10 milligrams to about 30 milligrams per lamp.

**Claim 15** (previously presented): The method of claim 9, wherein elemental mercury in said lamp is substantially incapable of interacting with ferric and cupric compounds present in said lamp to produce soluble mercury in a presence of said silver compound, gold compound, or combination thereof.

**Claim 16** (original): A method for preventing the formation of leachable mercury compounds in mercury vapor discharge lamps comprising providing an amount of silver carbonate in a range between about 10 milligrams and about 30 milligrams per lamp to substantially prevent the formation of ferric and cupric compounds which oxidize elemental mercury to a soluble form.

**Claim 17** (currently amended): A mercury vapor discharge lamp comprising a material selected from the group consisting of silver compounds, gold compounds, and combinations thereof; said material being encapsulated and disposed at a location selected from the group consisting of a base of said lamp and an interior of said lamp; wherein said silver compounds are selected from the group consisting of silver carbonate, silver halide, silver sulfide, silver acetate, and combinations thereof.

**Claim 18** (currently amended): A mercury vapor discharge lamp comprising a material selected from the group consisting of silver compounds, gold compounds, and combinations thereof; said material being disposed at a base of said mercury vapor discharge lamp; wherein said silver compound is selected from the group consisting of silver carbonate, silver halide, silver sulfide, silver acetate, and combinations thereof.